EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	62	717/151-161.ccls. and learn$3 and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:51
L2	520	717/151.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:51
L3	1	self-optimize and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:51
L4	22	(neural adj network) and learn$3 and (self adj optim$5) and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:51
L5	3998	706/12-44.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:51
L6	2	command and learn$3 and ((self adj optim$5) near8 program) and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:51
L8	1796	command with learning	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:51

L9	7	(learn$3 near5 (protocol algorithm)) and (self adj optim$5) and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L10	3998	706/12-44.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L11	110	command with (learning near8 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L12	3	((self adj optimiz$3) near8 program) and (learning adj (algorithm protocol)) and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L13	80	L8 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L14	2	command and (learning near8 program) and self-optimize	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L15	11	(learning with instruction with operation) with command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51

L16	2978	learn$3 near3 (command instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L17	3209	(input$4 near command) near8 program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L18	15	L17 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L19	11	(5079690|4910660|4710864|472770|4368509).pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L20	63	(learning adj (instruction operation)) with command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L21	98	(self adj (optim$4 improv$3 learn$3) near8 (program object)) and (command instruction) and learn$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L22	609	(command instruction) with optimal and learn$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51

L23	50	L22 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L24	520	717/151.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L25	2	L22 and L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L26	605	(select$3 rule reward) near5 command same (optimal optimize optimizing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L27	9	L17 and 717/151-161.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L28	53	learning with instruction with command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L29	4	L26 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51

L30	15	self adj (optim$4 improv$3 learn$3) near5 (software program object) and L16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L31	1864	command same optim$5 and learn$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L32	6	L31 and 717/151-161.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L33	1	(set and feedback) and "6144954".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L34	42	("3460096" | "3466430" | "3519998" | "3576976" | "3601811" | "3694636" | "3705409" | "3794271" | "4368509" | "4472770" | "4495559" | "4517468" | "4525775" | "4649515" | "4658370" | "4697242" | "4710864" | "4829450" | "4910660" | "4935877" | "5079690" | "5136686" | "5148513" | "5263120" | "5410634" | "5487134" | "5842193" | "5905977" | "6003143" | "6006213" | "6061675" | "6073126").PN. OR ("6144954").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L35	11	command and learn$3 and L34	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L36	94	L31 and "706".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L37	5	command same optim$5 and L34	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L38	1568	operation$3 near3 (choice select$3) same (optimal optimizing)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L39	14	L38 and 717/151-161.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L40	33	L38 and "706".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51

L41	22074	(selection rule reward) near3 command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L42	232	L41 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L43	112	optim$5 and L42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L44	60	command near3 learn$3 near3 (operation instruction)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L45	5	(selection rule reward) near3 command same optim$5 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L46	23	command same (program object) same ((self adj optimize) optimize optimization optimal) same learn$3	US-PGPUB; USPAT; ·USOCR	OR	ON	2007/03/16 10:51
L48	240	learning adj (instruction operation) and "706".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51